

TECHNICAL DATA SHEET VIVFIX

Creation date 18/03/21
Latest update 24/04/25
Rev. 1

GENERAL INFORMATION		
This high-quality product is specifically formulated to optimally consolidate and prepare both interior and exterior walls. Thanks to its advanced composition, VIVFIX penetrates deep into the substrate, effectively blocking chalking and regularising surface absorption. The use of VIVFIX is ideal for promoting better adhesion of subsequent coats of paint, thus ensuring a uniform and long-lasting finish.		
TECHNICAL INFORMATIONS		
		NOTE
YIELD	8-10 m ² /L	Theoretical
AVAILABLE DYES	Transparent	

TECHNOLOGICAL INFORMATIONS	
APPLICATIONS MODALITY	
BRUSH, ROLLER	Dil. 300-500% with DEMINERALIZED WATER
NEW WALLS	Fill possible imperfections and sandpaper. Then proceed with the application of a coat of product.
OLD WALLS	On already treated plasterwork, remove any detaching coatings. Fill imperfections and sand the substrate. Then proceed with the application of a coat of product.

DRYING	
DUST FREE	n/a
TOUCH FREE	1 hours
DEEP DRYING	4-6 hours
Drying times can vary significantly depending on the thickness applied.	

OVERCOATING
The product can be overpainted after 4-6 hours
ENVIRONMENTAL CONDITION
The substrate and outdoor temperature must be at least 3 degrees above the dew point.
TOOLS CLEANING
Tools can be cleaned of undried product with DEMINERALISED WATER.
STORAGE
In a cool and dry place, and in well sealed tin, the product is stable for at least 12 months. Storage temperature should be between 5°C and 35°C

Vivcolor s.r.l.

TECHNICAL DATA SHEET VIVFIX



Creation date	18/03/21
Latest update	24/04/25
Rev.	1

The information given in this data sheet is indicative and based on our knowledge derived from experience and testing and can in no way constitute a guarantee. The purchaser/user is responsible for determining the suitability of the product for his or her own requirements in the context of the specific field of application. Please refer to the relevant toxicological data sheet for safety information.